

INDEX MAPS.

T.7N R.2W 2nd Mer.

	269		269		268		268		268		267	
271	6	290	5	286	4	283	3	279	2	275	1	267
	290		290		286		282		279		275	
271	7	289	8	286	9	282	10	278	11	275	12	266
	290		289		285		282		278		274	
271	18	289	17	285	16	281	15	278	14	274	13	266
	291		288		285		281		277		273	
270	19	288	20	284	21	281	22	277	23	273	24	265
	291		288		284		280		277		273	
270	30	287	29	284	28	280	27	276	26	272	25	265
	292		287		283		280		276		272	
269	31	287	32	283	33	279	34	276	35	272	36	265
	264		264		264		263		263		263	

T.8N R.2W 2nd Mer.

	298		298		298		297		297		297	
300	6	320	5	316	4	312	3	308	2	304	1	296
	320		319		315		312		308		304	
300	7	319	8	315	9	311	10	308	11	304	12	296
	320		319		315		311		307		303	
300	18	318	17	315	16	311	15	307	14	303	13	296
	321		318		314		310		306		303	
299	19	318	20	314	21	310	22	306	23	302	24	295
	321		317		313		310		306		302	
299	30	317	29	313	28	309	27	306	26	302	25	295
	321		317		313		309		305		301	
299	31	316	32	312	33	309	34	305	35	301	36	295
	294		294		294		293		293		293	

The figures on the lines refer to the page.

Township N^o 7. North Range N^o 2 West 2nd Mer. (Ind
ch^d lks.

South Boundary

West 1st Mile on the South Boundary of Sec. 36. T. N^o 7. N. R. N^o 2 W.

24.75 Iron Walnut 30 in. dia. Stands on the line
40.00 Iron Oak 36 in. dia. which stands for the cor.
to the 1/4 sec.

65.00 Iron Sugar 18 in. dia. Stands in the line.

80.00 Set a post for the cor. to Sec. 35 & 36 T. N^o 7. N.
N^o 2 W. from which

Beck 16 in. dia. bears S 55 W. 3 miles dist; to

Do 16 " " " N 65 E. 44 " "

Lands rich; Timber Sugar, Walnut, Ash, Beck,

West 2nd Mile on the South Boundary of Sec. 35. T. N^o 7. N. R. N^o 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which
Sugar 10 in. dia. bears N 56 W. 5 miles dist; to
Do 10 " " " S 86 E. 23 " "

69.00 Iron Oak 18 in. dia. bears in the line.

80.00 Set W. Oak 24 in. dia. Stands in the line. for the
cor. to Sec. 34 & 35 T. N^o 7. N. R. N^o 2 W. from which
Sugar 12 in. dia. bears N 53 E. 12 miles dist; to
Lands on the last mile April 2nd 1811

West 3rd Mile on the South Boundary of Sec. 34 T. N^o 7. N. R. N^o 2 W.

33.50 Iron Oak 30 in. dia. Stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which
Beck 30 in. dia. bears S 54 E. 10 miles dist; to
Do 20 " " " N 27 W. 14 " "

65.00 Iron Brook 6 inches wide; bears S. W.

80.00 Set a post for the cor. to Sec. 33 & 34 T. N^o 7. N. R.
N^o 2 W. from which

W. Oak 18 in. dia. bears S 25 W. 31 miles dist to

Sugar 14 " " " N 65 E. 20 " "

Lands poor; Timber Oak,

T. N. 7. N. R. N. 27. 2nd Mer. (Ind. 2)

80.00 Set a post for the cor. to Sec. 7. 7. 8
6.6. T. N. 7. 27. Went in search of the Range
line; travelled 3 miles East; Hunter but could
not find it quite yet for the present.

East Boundary

North On the East Boundary of sec. 36. T. N. 7. N. R. N. 27. 2nd Mer.

3.00 To a large spring to the East near N. E.

6.00 To a brook 3 miles wide; course East.

30.00 n p 10 6 n n n n

40.00 Set a post for the cor. to 1/4 sec. from which a
Beech 24 in dia. bears S 57 W. 20 miles dist; to
12 26 n n n N 12 E. 49 n n

80.00 Set a post for the cor. to sec. 25. 136 T. N. 7.
N. R. N. 27. from which a
Beech 18 in. dia. bears N 82 W. 18 miles dist; to
10 14 n n n S 8 E. 39 n n
Hilly Oak Sands;

North On the East Boundary of sec. 25. T. N. 7. N. R. N. 27. 2nd Mer.

40.00 Set a post for the cor. to 1/4 sec. from which a
Buckeye 18 in. dia. bears N 27 W. 24 miles dist;
any Elm 18 n n n S 46 W. 26 n n

80.00 Set a post for the cor. to sec. 24. 125 T. N. 7. N.
R. N. 27. from which a
Beech 18 in dia. bears N. 19 W. 11 miles dist; to
10 18 n n n S 22 W. 42 n n
Sands on the Pt. 1/2 mile hilly; Timber Oak: 2nd
1/2 mile; Timber Beech, Sugar, Ash &c.

North On the East Boundary of sec. 24. T. N. 7. N. R. N. 27. 2nd Mer.

30.00 To the mouth of a cove facing the West & Extending
Eastwards nearly straight; It is completely

T. N. 7. N. R. No 2 W. 2nd Mer. (Ind. 2)

measured on an average 6 feet high and .7 feet in width; The measure 300 links; and it appeared to extend in the same direction & to increase in size but for the want of a light we ventured no further; There is a first rate Spring running from it

- 40.00 Set a post for the cor. to 1/4 sec. from which a
Beck 18 in. dia. bore N 86 E. 11 links rich; to
Do 18 in. dia. bore S 86 W 21 in. —
* 48.50 To a Brook 15 links wide; thence East
To a Brook 15 links wide; thence S. E.
80.00 Set a post for the cor. to sec. 13 & 24 T. N. 7. N.
R. No 2 W. on the Bank of a Brook from which
a Sugar 12 in. dia. bore N 29 E. 7 links rich; to
Do 18 in. dia. bore N 63 W 31 in. —
Land on the N. 1/2 mile good; Timber Buckeye
grape, and ash; 2nd 1/2 mile rich land Timber
Sugar Elm and Walnut;
* 60.75 To a Sugar 24 in. dia. in line.

North On the East Boundary of sec. 13 T. N. 7. N. R. No 2 W.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 14 in. dia. bore N 55 E 10 links rich; to
Do 16 in. dia. bore S 55 W 15 in. —
55.00 To a Brook 15 links wide; thence S. W.
66.00 To a Sugar 12 in. dia. stands in the line.
73.00 To a Brook — links wide; thence S. E.
80.00 Set a post for the cor. to sec. 12 & 13 from which a
Beck 36 in. dia. bore N 50 E. 17 links rich; to
Do 36 in. dia. bore N 80 W 24 in. —
Land on the N. 1/2 mile rich; Timber Sugar
Beck & Oak, 2nd 1/2 mile rich land; good
mill seats; and well timbered

North On the East Boundary of sec. 12 T. N. 7. N. R. No 2 W.

- 15.00 To a Brook — links wide thence S. W.

T. N. 7. N. R. N. 2 W. 2nd Mer. (Ind.)

- 43.50 To a Brook 3 miles wide Lower N.
 44.25 " " W. Oak 24 in. dia. Stands in the line.
 80.00 Set a post for the cor. to Sec. 35. & 36 T. N. 8
 N. R. N. 2 W. From which a
 Beck 5 in. dia. bears S 22 E. 10 miles dist; to
 Do 12 " " " N 35 W. 15 " "
 Good land; Timber Beck Sugar, Oak, &c

- West On the South Boundary of Sec. 35. T. N. 8 N.
 N. N. 2 W.
 40.00 Set a post for the cor. to 1/4 Sec. From which a
 Beck 15 in. dia. bears N 8 E. 13 miles dist; to
 Do 16 " " " S 85 W. 13 " "
 69.75 To a Sugar 16 in. dia. Stands in the line.
 80.00 Set a post for the cor. to Sec. 34 & 35. T. N. 8 N.
 N. N. 2 W. From which a
 Sugar 12 in. dia. bears South 17 miles dist; to
 Mulberry 8 " " " N 54 W. 34 " "
 Land rich and good; Timber Beck Sugar &
 Poplar &c

- West On the South Boundary of Sec. 34 T. N. 8 N.
 N. N. 2 W.
 32.50 To a Beck 12 in. dia. bears in the line.
 40.00 Set a post for the cor. to 1/4 Sec. From which a
 Hickory 20 in. dia. bears N 68 E. 34 miles dist; to
 Do 18 " " " N 87 W. 25 " "
 67.75 To a Hick. 12 in. dia. Stands in the line.
 80.00 Set a post for the cor. to Sec. 33 & 34. T. N. 8 N.
 N. N. 2 W. From which a
 Hickory 15 in. dia. bears S 74 E. 16 miles dist; to
 Do 14 " " " N 14 W. 20 " "
 Land &c made timber same as in the last mile.

- West On the South Boundary of Sec. 33. T. N. 8 N. R.
 31.50 To an Oak 30 in. dia. Stands in the line

T. No. 7. N.R. No. 27. 2nd Mer. (Ind. a.)

- 40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
 Hick. 12 in. dia. base S54 W. 30 miles dist; 10
 W. Oak 18 " " " N79 E. 43 " "
- 46.00 To a Brook 3 miles wide; corner S.
- 81.00 Set apart for the cor. to Sec. 32, 133. From which a
 Gum 12 in. dia. base S57 E. 18 miles dist; 10
 Hick. 16 " " " N33 W. 19 " "
 Good Oak Land.

- West On the South Boundary of sec. 32. T. No. 8. N.R. No.
 27.
- 28.50 To a Poplar 28 in. dia. stands in the river.
- 40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
 Dogwood 6 in. dia. base N84 E. 31 miles dist; 10
 Sugar 12 " " " West 24 " "
- 80.00 Set apart for the cor. to Sec. 31, 133 T. No. 8 N.
 R. No. 27. From which a
 Sugar 16 in. dia. base N49 E. 23 miles dist; 10
 Birch 16 " " " S49 W. 23 " "
 Good Oak Land.

- West On the South Boundary of sec. 31. T. No. 8 N.R. No.
 27. 2nd Mer.
- 17.00 To a Brook 3 miles wide; corner S.
- 40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
 Sugar 14 in. dia. base S76 W. 13 miles dist; 10
 Walnut 8 " " " N55 E. 20 " "
- 50.00 To a Brook 10 miles wide; corner S. E.
- 17.00 " " " 3 " " " N.
- 80.00 Set a temporary post for the cor. to Corner 7. & 8.
 N.R. No. 213 W. Good gum; Texas Sugar
 Oak, & Poplar.

West Boundary.

- North On the East Boundary of sec. 36. T. No. 7. N.R.
 No. 37.

T. N. 7. N. R. No 2 W. 2nd Mer. (Ind. a.)

- 35.50 Log Poplar 36 in. dia. Wounds in the line
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Beek 8 in. dia. bears S42 N. 13 miles dist; r w
 Sugar 8 n n n N2 N. 16 n n
 49.50 Log Brook 10 miles wide; Course N.
 80.00 Set a post for the cor. to sec. 25, 136. T. N. 7. N. R.
 No 3 N. from which a
 Beek 16 in. dia. bears N71 N. 12 miles dist; r w
 W Oak 30 n n n N80 E. 10 n n
 Kelly Oak Sands.

- North On the East Boundary of Sec. 25. T. N. 7. N. R. No
 3 N.
 22.00 Log Brook 75 miles wide; Course S. N.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Beek 24 in. dia. bears S33 E. 20 miles dist; r w
 Do 14 n n n S83 N. 23 n n
 80.00 Set a post for the cor. to sec. 24 & 25. T. N. 7. N. R.
 No 3 N. from which a
 Beek 18 in. dia. bears S56 E. 12 miles dist; r w
 Ironwoods Co n n n N75 N. 14 n n
 Good lands; Timber Oak, and Sugar.

- North On the East Boundary of Sec. 24. T. N. 7. N. R. No
 2 N.
 8.00 Log Brook 3 miles wide; Course S. E.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Sugar 5 in dia. bears S30 E. 5 miles dist; r w
 Do 6 n n n N12 N. 15 n n
 56.00 Log Brook 3 miles wide; Course N.
 76.00 n n n 3 n n n n n
 80.00 Set a post for the cor. to sec. 13 & 24 T. N. 7. N.
 N. No 3 N. from which a
 W Oak 30 in. dia. bears S48 N. 12 miles dist; r w
 Beek 8 n n n N56 E. 8 n n
 Good lands; Timber Beek, Oak, Sugar &c

271

T. N. 7. N. R. No 2 W 2nd Mer. Sec. 1st

North	On the East Boundary of Sec. 13. T. N. 7. N. R. No 3 W. 2 nd Mer.
15.00	Loak Brook 10 links mid; Course N.
17.00	To a Sugar 10 in. dia. beam in the line.
40.00	Set a post for the cor. to 1/4 sec. from which a Beck 16 in. dia. beam N. 12 E. 9 links dist; r. & N. Oak 15 " " " S 12 E. 31 " "
80.00	Set a post for the cor. to Sec. 12. & 13. T. N. 7. N. R. No 3 W. from which a Weir 10 in. dia. beam S 36 E. 17 links dist; r. & Sugar 12 " " " N 32 W. 17 " " Sundarick; Tinton Beck, Sugar, & Oak

North	On the East Boundary of Sec. 12 T. N. 7. N. R. No 3 W.
25.00	To a Brook 50 links mid; Course S. W.
40.00	Set a post for the cor. to 1/4 sec. from which a Beck 15 in. dia. beam N 69 E. 12 links dist; r. & Sugar 14 " " " S 77. 24 " "
46.00	To a Brook 10 links mid; Course E.
80.00	Set a post for the cor. to Sec. 1. & 12 T. N. 7. N. R. No 3 W. from which a Sugar 6 in. dia. beam S 58 W. 19 links dist; r. & Elm 14 " " " N 80 E. 31 " " Sundarick

North	On the East Boundary of Sec. 1 T. N. 7. N. R. No 3 W. 2 nd Mer
6.00	To a Spring. Course E.
9.00	" " Brook 5 links mid; Course S. E.
40.00	Set a post for the cor. to 1/4 sec. from which a Beck 12 in. dia. beam S 63 W. 3 links dist; r. & Poplar 18 " " " N 83 E. 27 " "
50.00	To a Brook 6 links mid; Course E.
78.50	Intersect the Township Line 13. 50 ch. E of the Twp. & Town Cor. and set a post for the cor. Twp. 7. 7. 18. 8. N. R. 2 & 3 W. from which a

T. N. 7. N. R. N. 27. 2nd Mer. (Qua.)

Hogwoods 6 mi. dia. beam S 5 E. 17 miles dist; to
 Maple 18 a ~ ~ N 39 E. 31 a ~ ~
 Grodlands; Lignite 7 Bush, Sugar & Oak,
 Covered by
 Alexander, Holmes. D.S.

Subdivisions

North Between Sec. 35, 136 T. N. 7. N. R. N. 27.
 40.00 Set apart for the cor. to 1/4 sec. from which
 Hick 10 mi. dia. beam N 37 W. 96 miles dist to
 Sugar 18 a ~ ~ ~ N 7 E. 133 a ~ ~
 80.00 Set apart for the cor. to Sec. 25, 26, 35, 136 from
 which Hick 12 mi. dia. beam S 52 E. 25 miles dist
 and a 160 10 a ~ ~ ~ S 38 W. 39 a ~ ~
 Sande Hick; Lignite Sugar, Bush, Oak, & Hick
 etc.

East On a Random line between Sec. 25, 136 T. N. 7. N.
 R. N. 27.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 80.00 Intersect the N. & S. line 24 miles South of the
 post set for the cor. to Sec. 25, 136. T. N. 7. N. R.
 N. 27. Sande rock and timber same as in the last
 mile.

West On the true line between Sec. 25, 136 T. N. 7. N.
 R. N. 27.
 40.00 Set the temporary post at the corner West on the true line
 for the cor. to 1/4 sec. from which
 Bush 3 mi. dia. beam S 42 E. 7 miles dist;
 Sugar 8 a ~ ~ ~ S 56 W. 2 a ~ ~
 80.00 To the post set for the cor. to Sec. 25, 26, 35, 136.

North Between Sec. 25 & 26 T. N. 7. N. R. N. 27.
 40.00 Set apart for the cor. to 1/4 sec. from which
 Hick 5 mi. dia. beam N 77 E. 9 miles dist; to

273

T. N. 7. N. R. N. 27. 2nd Mer. (Ind. 2)

80.00	<p>Hickory 12 in. dia. beam S 39 N. 19 miles dist; to Set a post for the cor. to Sec. 23, 24, 25, & 26 from which a Sugar 10 in. dia. beam N 46 E. 21 miles dist; and a 15 Walnut 12 in. " " N 54 N. 36 " " Good soil and timber same as on the last mile.</p>
East	On a Random line between Sec. 24 & 25. T. N. 7. N. R. N. 27.
34.00	To a Brook 12 miles dist; beam N. E.
40.00	Set a temporary post for the cor. to 1/4 sec.
80.00	Intersect the N. & S. line 30 miles South of the post set for the cor. to Sec. 24 & 25. T. N. 7. N. R. N. 27. Good soil and timber same as on the last mile.
West	On the true line between Sec. 24 & 25. T. N. 7. N. R. N. 27. 2nd Mer.
40.00	Set the temporary post at the above dist. on the true line. for the cor. to 1/4 sec. from which a Sugar 8 in. dia. beam S 51 E. 11 miles dist; & a Beech 8 in. " " N 26 N. 14 " "
80.00	To the post set for the cor. to Sec. 23, 24, 25, & 26.
North	Between Sec. 23 & 24. T. N. 7. N. R. N. 27.
40.00	Set a post for the cor. to 1/4 sec. from which a Beech 15 in. dia. beam S 5 E. 24 miles dist; & a Do. 10 in. " " N 19 N. 15 " "
80.00	Set a post for the cor. to Sec. 13, 14, 23, & 24. from which a Sugar 10 in. dia. beam N 42 E. 17 miles dist; and a Do. 3 in. " " S 53 N. 20 in. " Good rolling; Timber Ash, Oak, and Hickory
East	On a Random line between Sec. 13 & 24. T. N. 7. N. R. N. 27.
40.00	Set a temporary post for the cor. to 1/4 sec.
75.00	To a Brook 100 miles dist; from the N. & S. line E.
80.00	Intersect the N. & S. line 18 miles South of the

T. N. 7. N. R. N. 27. 2nd Mer. (Ind. 2)

First set for the cor. to Sec. 13 & 24 T. N. 7. N. R. N. 27. Sand soil and timber same as in the last mile.

West	On the true line between Sec. 13 & 24 T. N. 7. N. R. N. 27.
40.00	Set the temporary post at the above dist on the true line for the cor. to $\frac{1}{4}$ sec. from which a Oak 12 in. dia. bears N 17 $^{\circ}$ 17' timber dist to Buck 15 " " " S 77 $^{\circ}$ E. 37' " "
80.00	Is the first set for the cor. to Sec. 13, 14, 23 & 24.
North	Return Sec. 13 & 14 T. N. 7. N. R. N. 27.
16.00	To a Brook 10 links wide; corner.
18.25	To a Poplar 36 in. dia. stands on the line.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Sugar 12 in. dia. bears S 5 $^{\circ}$ E. 10' timber dist to Walnut 12 " " " N 55 $^{\circ}$ W. 19' " "
80.00	Set a post for the cor. to Sec. 11, 12, 13 & 14 from which a Buck 5 in. dia. bears S 6 $^{\circ}$ W. 14' timber dist to Sugar 8 " " " N 9 $^{\circ}$ E. 17' " " Sand rolling; thin soil; timber Oak, & Poplar.
East	On a random line between Sec. 12 & 13 T. N. 7. N. R. N. 27.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
73.50	To a Brook 100 links wide; corner South.
80.44	Intersect the N. & S. line 150 links South of the post. Set for the cor. to Sec. 12 & 13 T. N. 7. N. R. N. 27. Sand soil and timber same as in the last mile.
West	On the true line between Sec. 12 & 13 T. N. 7. N. R. N. 27.
40.22	Set the temporary post at the above dist on the true line. for the cor. to $\frac{1}{4}$ sec. from which a Oak 12 in. dia. bears S 5 $^{\circ}$ E. 10' timber dist to Sugar 6 " " " N 77 $^{\circ}$ E. 16' " "

T. N. 7. N. R. N. 27. 2nd Mer. (Ind. 9)

8044	To the first cut for the cor. to Sec. 11. 12. 13. & 14.
North	Between Sec. 11. & 12. T. N. 7. N. R. N. 27.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Ely 8 in. dia. beam N 60 E. 25 links dist; to Cay 8 in. dia. beam S 72 W. 20 in. beam
56.00	To a Brook 5 links mid; hence S. W.
69.50	and 8 in. beam S. W.
80.00	Set a post for the cor. to Sec. 1. 2. 11. 12 from which a Cay 4 in. dia. beam S 85 E. 18 links dist; to Q. 4 in. beam N 41 W. 18 in. beam Sand soil and timber same as in the last mile.
East On a Random line between Sec. 1 & 12 T. N. 7. N. R. N. 27.	
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
45.00	To a Brook 100 links mid; hence S. E.
49.86	Enter into the N. & S. line 250 links South of the post set for the cor. to Sec. 1 & 12. T. N. 7. N. R. N. 27. Sand soil and timber same as in the last mile.
West On the true line between Sec. 1 & 12. T. N. 7. N. R. N. 27.	
39.93	Set the temporary post at the avor. dist in the true line for the cor. to $\frac{1}{4}$ sec. from which a Cay 8 in. dia. beam N 11 E. 5 links dist; to Beck 12 in. beam S 23 E. 13 in. beam
49.86	To the post set for the cor. to Sec. 1. 2. 11. 12.
North	Between Sec. 1 & 2. T. N. 7. N. R. N. 27.
29.50	To Brook 10 links mid hence E.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Ash 12 in. dia. beam N 45 E. 8 links dist; to Beck 7 in. beam S 8 W. 17 in. beam
41.42	Enter into the N. & S. line ^{Boundary} of T. N. 7. N. R. N. 27. 70 links East of the post set for the cor. to Sec.

I. N^o 7. N.H. N^o 27. 2nd Meas. Ind.

35.136. I. N^o 8 N.H. N^o 27. And set apart for the
 cor. to Sect. 1. & 2 from which
 78 Oak 18 in. dia. base N76 E. 12 links dist; 10
 Sugar 4 " " " S127. 23 " "
 And do the same as on the last mile.

North Between Sect. 34 & 35. I. N^o 7. N.H. N^o 27.
 37.50 Trap Brook 10 links wide; Course N.
 40.00 Set apart for the cor. to $\frac{1}{4}$ Sec. from which
 78 Oak 18 in. dia. base S14 W. 22 links dist; and
 No 8 " " " N30 W. 14 " "
 80.00 Set apart for the cor. to Sect. 26, 27, 34 & 35 from which
 78 Oak 12 in. dia. base N52 E. 13 links dist; 10
 78 Oak 10 " " " S72 W. 7 " "
 And do fail and do timber same as on the last mile.

East On a Random line between Sect. 26 & 35 I. N^o 7. N.
 R. N^o 27.
 40.00 Set a temporary post at the aver. dist on the true line.
 80.00 Intersect the N13 line 18 links North of the post
 set for the cor. to Sect. 25, 26, 35, & 36.
 And do fail and do timber same as on the last mile.

West On the true line between Sect. 26 & 35. I. N^o 7. N.H.
 N^o 27.
 40.00 Set the temporary post at the aver. dist on the true line
 for the cor. to $\frac{1}{4}$ Sec. from which
 78 Oak 12 in. dia. base N46 W. 8 links dist; 10
 No 12 " " " S59 E. 24 " "
 80.00 To the post set for the cor. to Sect. 26, 27, 34 & 35.

North Between Sect. 26 & 27. I. N^o 7. N.H. N^o 27.
 40.00 Set apart for the cor. to $\frac{1}{4}$ Sec. from which
 110 gum 44 in. dia. base N17 E. 8 links dist; 10
 Hickory 10 " " " S17 W. 27 " "
 80.00 Set apart for the cor. to Sect. 22, 23, 26 & 27 from

T. N. 7. N. R. N. 27. 2nd Mer. (Ind. 9)

which a Height 6 in. dia. base. N 27. 17 miles dist.
made a Buck 6 in. N 27. 24 in. N
Sands pit made timber same as on the last mile.

East Between Sec. 23 & 24. On a Random line. T. N. 7.
N. R. N. 27.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.00 Enter onto the N. & S. line 18 miles South of the
Post set for the cor. to Sec. 23, 24, 25, 26.
Sands pit made timber same as on the last mile.

West On the true line between Sec. 23 & 24. T. N. 7. N. R.
N. 27.

40.00 Set the temporary post at the aver. dist on the true line
for the cor. to 1/4 sec. from which

Height 10 in. dia. base N 76 W. 28 miles dist; 10

No 12 in. N 61 E 16 in.

80.00 To the Post set for the cor. to Sec. 22, 23, 26, & 27.

North Between Sec. 22 & 23. T. N. 7. N. R. N. 27.

24.00 To a Spring Brook 4 miles wide: Corner N.

40.00 Set a post for the cor. to 1/4 sec. from which —

{ (Bearings omitted)

80.00 Set a post for the cor. to Sec. 14, 15, 22, & 23. from which
a Height 10 in. dia. base N 127 W. 28 miles dist; 10

No 8 in. N 46 E. 31 in.

Sands pit made timber same as on the last mile.

East On a Random line between Sec. 14 & 23. T. N. 7. N. R. N.
27.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.00 Enter onto the N. & S. line 24 miles South of the Post.

Set for the cor. to Sec. 13, 14, 23, & 24.

Sands pit made timber same as on the last mile; T. N.
7. N. R. N. 27. 2nd Mer. Ind. 9.

T. N. 7. N. R. No. 2 W. 2nd Mer. (Ind. ^{co})

- West On the true line between Sec. 14 & 23. T. N. 7. N. R. No. 2 W.
- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec. at the aver. dist on the true line. From which
- Wicket 12 in. dia. base N 49 W. 5 miles dist; 10
- Do 10 in. " " S 33 E. 15 " "
- 80.00 To the post set for the cor. to sec. 14, 15, 22, & 23.

- North Between Sec. 14 & 15. T. N. 7. N. R. No. 2 W.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. From which
- Wicket 15 in. dia. base N. 5 W. 25 miles dist; 10
- Beck 18 in. " " S 41 W. 20 in. " "
- 80.00 Set a post for the cor. to sec. 10, 11, 14 & 15 from which
- Beck 10 in. dia. base S 3 W. 6 miles dist; 10
- Poplar 25 in. " " N 9 E. 17 in. " "
- Same as last mile.

- East On a Random line between Sec. 11 & 14. T. N. 7. N. R. No. 2 W.
- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
- 80.00 Intro. into the N. & S. line 80 miles South of the post set for the cor. to sec. 11, 12, 13 & 14
- Same as last mile.

- West On the true line between Sec. 11 & 14. T. N. 7. N. R. No. 2 W.
- 40.00 Set the temporary post at the aver. dist on the true line for the cor. to $\frac{1}{4}$ sec. From which
- Wicket 15 in. dia. base S 51 E. 24 miles dist; 10
- Wicket 12 in. " " S 78 W. 11 in. " "
- 80.00 To the post set for the cor. to sec. 10, 11, 14, & 15.

- North Between Sec. 10 & 11. T. N. 7. N. R. No. 2 W.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. From which
- Beck 10 in. dia. base S 23 W. 14 miles dist; 10
- Do 6 in. " " S 52 W. 8 in. " "

T. N. 7. N. R. N. 2 W. 2nd Mer. (S. 1/4)

80.00 Set a post for the cor. to 1/4 sec. 2, 3, 10, 11. From which a
Beck 10 in. dia. bore N 32 W 15 links dist; to
Height 15 a n n N 71 E. 17 a n n
Sandy soil and timber same as on the last mile.

East On a medium line between Sec. 2 & 11. T. N. 7. N. R. N. 2 W.

40.00 Set a temporary post for the cor. to 1/4 sec.

78.60 Enter section the N. B. boundary of T. N. 7. N. R. N. 2 W. South of the post set
for the cor. 1, 2, 11, 12. Sandy soil and timber same
as on the last mile.

West On the true line between Sec. 2 & 11. T. N. 7. N. R. N. 2 W. 2nd Mer.

39.30 Set the temporary post at the corner dist on the true line
for the cor. to 1/4 sec. from which a

Beck 3 in. dia. bore S 82 W 4 links dist; to

Do 6 a n n N 78 E. 7 a n n

78.60 To the post set for the cor. to Sec. 2, 3, 11, & 12

North Between Sec. 2 & 3. T. N. 7. N. R. N. 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Beck 2 1/2 in. dia. bore S 68 E. 19 links dist; to

Do 12 a n n S 45 W. 17 a n n

79.50 Enter section the N. B. boundary of T. N. 7. N. R. N. 2 W. 2nd Mer. 93 links East of the post set for the cor.
to 34 & 35 T. N. 8 N. R. N. 2 W. and set a post for the
cor. to Sec. 2 & 3. From which a

Whitberry 7 in. dia. bore S 81 W. 16 links dist; to

Logwood 3 a n n S 46 E. 18 a n n

Sandy soil and timber same as on the last mile

North Between Sec. 33 & 34. T. N. 7. N. R. N. 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which a

Sugar 10 in. dia. bore N. 24 E. 19 links dist; to

Do 6 a n n S 9 W. 12 a n n

T. N. 7 N. R. N. 2 W. 2nd Mer. (Ind. ^o)

71.00 To a Spring; hence West.

8000 Set a post for the cor. to Sec. 27, 28, 33, 34 from which
a Bench 10 in. dia. bears N 18 E 14 miles dist. 10
Do 5 in. " " S 24 E 19 " "
Sandy Kelly timber Oak, & Hickory & Dog woods
Cassafra & HickoryEast On a Random line between Sec. 27, 34. T. N. 7.
N. R. N. 2 W.

4000 Set a temporary post for the cor. to 1/4 Sec.

80.18 Enter section the N. 1/2 line at the post set for the
cor. to Sec. 26, 27, 34, 35
Sandy soil and timber same as in the last mile.West On the true line between Sec. 27, 34. T. N. 7 N.
R. N. 2 W.4009 Set the temporary post at the av. dist on the true line
for the cor. to 1/4 Sec. from whichW. Oak 20 in. dia. bears East 29 miles dist; 10
Hickory 10 in. " " S 60 W. 13 " "

80.18 To the post set for the cor. to Sec. 27, 28, 33, 34

North Between Sec. 27, 28. T. N. 7. N. R. N. 2 W.

4000 Set a post for the cor. to 1/4 Sec. from which

Sugar 6 in. dia. bears S 53 W. 11 miles dist. 10

Do 5 in. " " S 51 E. 15 " "

40.50 To a Spring branch 4 miles wide hence West.

8000 Set a post for the cor. to Sec. 21, 22, 27, 28, from which
a Bench 12 in. dia. bears N 36 E. 30 miles dist. 10
Sugar 7 in. " " S 15 W. 18 " "
Sandy soil and timber same as in the last mile.East On a Random line between Sec. 22, 27. T. N. 7 N.
R. N. 2 W.

4000 Set a temporary post for the cor. to 1/4 Sec.

80.00 Enter section the N. 1/2 line 20 miles South of the post.

* West true line between Sec. 22 & 27
4000 1/4 post at av. dist; Sugar 10 in. dia. S 88 E. 44
Logan 3 in. " S 67 W. 18

T. N^o 7. N. R. N^o 277. 2nd Mer. Sec^o

Set for the cor. to Sec^o 21. 22. 27. & 28

Sandy soil and timber same as in the last mile

North	Between Sec ^o 21. & 22 T. N ^o 7. N. R. N ^o 277.
40.00	Set a post for the cor. to $\frac{1}{4}$ Sec. from which a Maple 10 in. dia. trunk S 5 E. 32 links dist; and a Beech 10 " " " N 42 W. 15 " "
80.00	Set a post for the cor. to Sec ^o 15. 16. 21. & 22 from which a Sugar 12 in. dia. trunk S 8 E. 28 links dist; & a Do. 10 " " " N 38 W. 5 " " Sandy soil and timber same as in the last miles.
East	On a Random line between Sec ^o 15. & 22 T. N ^o 7. N. R. N ^o 277. 2 nd Mer.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
79.56	Intersected the N. & S. line 29 links South of the post set for the cor. to Sec ^o 14. 15. 22. & 23. Sandy land and brushy; Timber Oak & Maple
West	On the true line between Sec ^o 15. & 22. T. N ^o 7. N. R. N ^o 277.
39.78	Set the temporary post at the corner on the true line for the cor. to $\frac{1}{4}$ Sec. from which a Dogwood 3 in. dia. trunk S 26 W. 8 links dist; & a W. Oak 18 " " " N 10 W. 19 " "
79.56	To the post set for the cor. to 15. 16. 21. & 22.
North	Between Sec ^o 15. & 16 T. N ^o 7. N. R. N ^o 277.
40.00	Set a post for the cor. to $\frac{1}{4}$ Sec. from which a Beech 18 in. dia. trunk N 24 E 9 links dist; & a Sugar 8 " " " S 45 W. 24 " "
80.00	Set a post for the cor. to Sec ^o 9. 10. 15. & 16. from which a Walnut 10 in. dia. trunk N 70 W. 10 links dist and a Sugar 10 " " " N 39 E. 11 " " Sandy soil and timber same as in the last miles T. N ^o 7. N. R. N ^o 277. 2 nd Mer.

T. N^o 7. N.R. N^o 27. 2nd Mer. (Ind. ^o)

- East On a random line between Sec. 10. & 15. T. N^o 7
N.R. N^o 27.
- 45.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
- 79.58 Intersected the N. & S. line 50 miles North of the
post set for the cor. to Sec. 10. 11. 14. 15.
Same soil and timber same as on the last mile.
-
- West On the true line between Sec. 10. & 15. T. N^o 7. N.
R. N^o 27.
- 39.79 Set the temporary post at the aver. dist. on the true line
for the cor. to $\frac{1}{4}$ sec. from which
Gum 12 in. dia. bears N. 45 E. 28 miles dist; 10
Hogwoods 4 in ~ S 47 W. 26 ~ ~
- 79.38 To the post set for the cor. to Sec. 9. 10. 15. 16.
-
- North Between Sec. 9. & 10. T. N^o 7. N.R. N^o 27.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Cherry 4 in. dia. bears N 8 E. 11 miles dist; 10
Poplar 6 ~ ~ ~ N 10 W 16 ~ ~
- 81.01 Set a post for the cor. to Sec. 3. 4. 9. 10. from
which a W. Oak 30 in. dia. bears S 76 E. 21. the
dist; 10 W. Oak 20 ~ ~ ~ West 20 ~ ~
~ Same soil and timber same as on the last mile
-
- East On a random line between Sec. 3 & 10. T. N^o 7. N.
R. N^o 27.
- 45.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
- 79.97 Intersected the N. & S. line 110 miles N. of the
post set for the cor. to Sec. 2. 3. 10. 11.
Same soil and timber same as on the last mile
-
- West On the true line between Sec. 3 & 10. T. N^o 7.
N.R. N^o 27.
- 39.98 Set the temporary post at the aver. dist. on the true
line for the cor. to $\frac{1}{4}$ sec. from which
W. Oak 15 in. dia. bears N 10 E. 21 miles dist; 10

T. N^o 7. N.R. N^o 27. 2nd Mer. (Ind. ^e)

and a 140 — in clin. beam

14 links dist

North Return Sec. 3 & 4 T. N^o 7. N.R. N^o 27.
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 Maple 18 in. dia. beam S12 E. 38 links dist to
 Hick 7. 4 a n n S35 W. 11 n n
 79.44 Intersects the N. boundary of T. N^o 7. N.R. N^o 2
 N. 238 links East of the post for the cor. to Sec.
 33 & 34 T. N^o 7. N.R. N^o 27. and set a post for
 the cor. to Sec. 3 & 4 from which a
 Hick 7 8 in. dia. beam N34 W. 20 links dist to
 Oak 12 a n n North 23 n n
 Sand & soil timber same as on the last mile.

North Return Sec. 32 & 33 T. N^o 7. N.R. N^o 27.
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 Poplar 18 in. dia. beam S61 E. 14 links dist to
 Beech 6 a n n N78 W. 13 n n
 80.00 Set a post for the cor. to Sec. 28, 29, 32 & 33 from
 which a Beech 10 in. dia. beam N9 E. 3 links dist
 and a Dogwood 8 a n n S57 E. 33 a n
 Sand soil and timber same as on the last mile.

East On a Meridian line between Sec. 28 & 33 T. N^o 7. N.
 R. N^o 27.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec. of
 80.18 Intersects the N. E. line 17 links South of the post
 set for the cor. to Sec. 27, 28, 33 & 34
 Sand soil and timber same as on the last mile.

West In the true line return Sec. 27 & 33 T. N^o 7. N.
 R. N^o 27.
 40.00 Set the temporary post at the corner. Post on the true
 line for the cor. to $\frac{1}{4}$ Sec. from which a
 Sycamore 10 in. dia. beam S60 E. 9 links dist to
 Beech 4 a n n N46 E. 11 a n

T. N^o 7. N.R. N^o 27. 2nd Mer. Ind. 2)

80.00	To the first lot for the cor. to Sec 28. 29. 32 & 33.
North	Between Sec 28. & 29 T. N ^o 7. N.R. N ^o 27.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Cypress 12 in. dia. trunk N 59 E. 27 links dist. to Beck 10 " " " S 47 E. 11 " " "
80.00	Set a post for the cor. to Sec 20. 21. 28. & 29 from which Beck 8 in. dia. trunk S 48 W. 15 links dist. mudge 16 15 " " " N 12 W. 31 " " " Sandy soil and timber same as on the last mile.
East	On a random line between Sec 21 & 22. T. N ^o 7. N.R. N ^o 27.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec. fr
80.00	Intersperse the N. & S. line 70 links North of the post set for the cor. to Sec 21. 22. 27. & 28 Sandy soil and timber same as on the last mile
West	On the true line between Sec 21. & 28 T. N ^o 7. N. N. N ^o 27.
40.00	Set the temporary post at the aver. dist. on the true line for the cor. to $\frac{1}{4}$ sec. from which a Cypress 12 in. dia. trunk N 38 W. 7 links dist. to do 10 " " " S 4 E. 17 " " "
80.00	To the post set for the cor. to Sec 20. 21. 28. & 29.
North	Between Sec 20. & 21. T. N ^o 7. N.R. N ^o 27.
17.50	To a Brook 15 links wide. Course W.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Hickory 15 in. dia. trunk S 88 E. 39 links dist. to Cypress 5 " " " N 88 W. 19 " " "
80.00	Set a post for the cor. to Sec 16. 17. 20. & 21. from which a Elm 15 in. dia. trunk N 87 E. 44 links dist. mudge a W. Oak 30 " " " S 77 W. 20 " " " Sandy soil and timber same as on the last mile. T. N ^o 7. N.R. N ^o 27. 2 nd Mer.

T. No. 7 N. R. No. 2 W. 2nd Mer. (End.)

East On a Random line between Sec. 16 & 21 T. No. 7 N. R. No. 2 W.

31.00 To a Brook 10 miles wide; crossed South.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

80.00 Then set on the N. & S. line 12 miles South of the post set for the cor. to Sec. 15, 16, 21 & 22.

Sandy soil and timber same as on the last mile.

West On the true line between Sec. 16 & 21 T. No. 7 N. R. No. 2 W. 2nd Mer.

40.00 Set the temporary post at the aver. dist. on the true line for the cor. to $\frac{1}{4}$ sec. from which a

Log run 12 mi. due East S 73 W. 4 miles dist; to

Do 4 n n n S 39 E. 12 n n

80.00 To the post set for the cor. to Sec. 16, 17, 21 & 22.

North Return Sec. 16 & 17 T. No. 7 N. R. No. 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a

N. Oak 18 mi. due East S 30 E. 15 miles dist; to

Beck 4 n n n N 65 W. 25 n n

80.00 Set a post for the cor. to Sec. 8, 9, 16 & 17. From

which a N. Oak 18 mi. due East N 81 E. 15 miles dist;

crossed Logwood Run n n n S 41 W. 14 n n

Sandy soil and timber same as on the last mile.

East On a Random line between Sec. 9 & 16 T. No. 7 N. R. No. 2 W.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

80.12 Then set on the N. & S. line 48 miles South of the post set for the cor. to Sec. 9, 10, 15 & 16.

Sandy soil and timber same as on the last mile.

West On the true line between Sec. 9 & 16 T. No. 7 N. R. No. 2 W.

40.06 Set the temporary post at the aver. dist. on the true line for the cor. to $\frac{1}{4}$ sec. from which a

T. N. 7. N. R. N. 2 W. 2nd Mer. (Ind. 2)

Back 10 mi. dis. house N 45 E. 18 miles dist; to
 W Oak 15 n n n S 22 W. 28 n n
 80.12 To the first cut for the cor. to Sec. 8. 9. 16. & 17.

North Return Sec 8. & 9. T. N. 7. N. R. N. 2 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 Maple 10 mi. dis. house S 20 E. 26 miles dist; to
 Gum 8 n n n N 66 E. 23 n n
 80.50 Set a post for the cor. to Sec. 4. 5. 8. 9. from which
 a Gum 3 mi. dis. house N 45 W. 9 miles dist; to
 L 10 n n n N 61 E. 12 n n
 Sande soil made timber same as in the last mile

East On a Random line between Sec. 12 & 9. T. N. 7. N.
 R. N. 2 W.
 40.00 Set a temp. post for the cor. to $\frac{1}{4}$ Sec.
 80.00 Intersected the N. & S. line 27 miles North of the post
 cut for the cor. to Sec. 3. 4. 9. 10.
 Sande soil made timber same as in the last mile.

West On the true line between Sec. 4 & 9. T. N. 7. N. R.
 N. 2 W.
 40.00 Set the temp. post at the aver. cor. on the true line.
 for the cor. to $\frac{1}{4}$ Sec. from which
 W Oak 20 mi. dis. house N 42 W. 25 miles dist; to
 Poplar 10 n n n S 18 W. 30 n n
 80.00 To the first cut for the cor. to Sec. 4. 5. 8. 9.

North Return Sec. 4 & 5 T. N. 7. N. R. N. 2 W.
 22.00 To a Spruce 18 mi. dis. it stands in the line
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 Maple 15 mi. dis. house S 26 W. 9 miles dist; to
 W. Oak 24 n n n N 40 W. 24 n n
 80.05 Intersected the N. & S. line of T. N. 7. N. R. N. 2 W.
 175 miles East of the first cut for the cor. to Sec. 32 &
 33. T. N. 8. N. R. N. 2 W. made sets a post for the

287

T. N. 7. N. R. N. 27. 2nd Mer. Ind. ^c

cor to Sec. 4 & 5 from which
 Gum 15 in. dia. bears N 65 E. 33 miles dist; and a
 Hick 15 " " " S 88 W. 58 " "
 Sand soil and timber same as in the last mile.

North Return Sec. 31. & 32 T. N. 7. N. R. N. 27.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 B. Oak 24 in. dia. bears N 26 E. 13 miles dist; to
 Buck " " " S 21 W. 13 " "
 80.00 Set a post for the cor. to Sec. 29. 30. 31. & 32 from
 which a Buck 6 in. dia. bears S 59 E. 17 miles dist;
 and a Gum 10 " " " S 20 E. 16 " "
 Sand soil and timber same as in the last mile.

East On a Run down line between Sec. 29. & 32. T. N. 7
 N. R. N. 27.
 40.00 Set a temporary post after the cor. to $\frac{1}{4}$ sec.
 80.12 Introduced the N & S line 12 miles South of the
 post set for the cor. to Sec. 28. 29. 32. & 33.
 Sand soil and timber same as in the last mile.

West On the true line between Sec. 29. & 32 T. N. 7. N.
 R. N. 27.
 40.06 Set a post at the aver. dist on the true line for the
 cor. to the $\frac{1}{4}$ sec. from which
 Sugar 6 in. dia. bears N 48 E 37 miles dist; to
 W Oak 20 " " " N 75 W. 24 " "
 80.12 To the post set for the cor. to Sec. 29. 30. 31. & 32.

North Return Sec. 29. & 30. T. N. 7. N. R. N. 27.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 W. Oak 12 in. dia. bears S 46 W. 14 miles dist; to
 Buck 7 " " " S 38 E. 5 " "
 80.00 Set a post for the cor. to $\frac{1}{4}$ sec. 19. 20. 29. & 30.
 from which a Sugar 8 in. dia. bears N 35 E 14 miles
 dist; and a Maple 15 " " " S 33 E 31 miles dist.

T. N. 7. N.R. N. 27. Dnd. Mar. Ind. 3

Land rolling, rich soil; Timber Sugar, Poplar
and Oak.

East On a Random line between Sep. 20. & 29. T. N. 7. N.R. N. 27.
40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
80.00 Intersect the N. & S. line 12 miles N. of the post set
for the cor. to Dec. 20. 21. 28. & 29.
Land soil and timber same as in the last mile.

West On the true line between Sep. 20. & 29. T. N. 7. N.R. N. 27.
40.00 Set the temporary post at the arm. dist. on the true line
for the cor. to $\frac{1}{4}$ sec. from which
N Oak 40 in. dia. base West 2 miles dist;
80.00 To the post set for the cor. to Dec. 19. 20. 29. & 30.

North Between Dec. 19. & 20 T. N. 7. N.R. N. 27.
21.50 Iron Rod 21 miles wide; Corner S. 77.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which
N Oak 25. in. dia. base N. 15 E 12 miles dist; 10
Dec 6 " " " S 1 E 18 " "
80.00 Set a post for the cor. to Dec. 17. 18. 19. & 20. from which
a Maple 8 in. dia. base S 62 W. 3 miles dist; 10
Height 15 " " " S 61 E. 31 " "
Land soil and timber same as in the last miles.

East On a Random line between Sep. 17. & 20. T. N. 7. N.R. N. 27.
40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
80.00 Intersect the N. & S. line 12 miles N. of the post set
for the cor. to Dec. 16. 17. 20. & 21.
Land soil and timber same as in the last mile.

West On the true line between Sep. 17. & 20. T. N. 7. N.R. N. 27.

T. N. 7. N. R. No. 27. 2nd Mer. (Ind.)

40.00	Set the temporary post at the acc. dist on the true line for the cor. to $\frac{1}{4}$ sec. from which a Sugar 10 in. dia. bears N 53 W. 18 miles dist; to Hackberry 4 " " " " S 12 E. 30 " "
80.00	To the first set for the cor. to Sec. 17. 18. 19. & 20.
North	Between Sec. 17. & 18 T. N. 7. N. R. No. 27.
40.00	Set the post for the cor. to $\frac{1}{4}$ sec. from which a Dogwood 3 in. dia. bears S 13 W. 7 miles dist; to Sugar 12 " " " " N 45 E. 17 " "
80.00	Set a post for the cor. to Sec. 7. 8. 17. & 18 from which a Dogwood - in. dia. bears S 56 W. 17 miles dist to a Beech 8 " " " " S 67 E. 20 " " Same soil and timber same as in the last mile.
East	On a random line between Sec. 8. & 17. T. N. 7. N. R. No. 27.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
80.00	Intersect the N. & S line 134 miles North of the first set for the cor. to Sec. 8. 9. 16. & 17. Same soil and timber same as in the last mile.
West	On the true line between Sec. 8. & 17. T. N. 7. N. R. No. 27.
40.00	Set the temporary post at the acc. dist on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Oak 20 in. dia. bears N 32 W. 24 miles dist; to Dogwood 4 " " " " S 3 E. 19 " "
80.00	To the first set for the cor. to Sec. 7. 8. 17. & 18.
North	Between Sec. 7. & 8 T. N. 7. N. R. No. 27.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Oak 5 in. dia. bears N 84 E. 16 miles dist; to Sugar 10 " " " " N 18 E. 24 " "
73.50	To a Oak 15 in. dia. stands on the line.
80.00	Set a post for the cor. to Sec. 5. 6. 7. & 8. from which

I. No. 7. N. R. No. 277. 2nd. Mr. C. A.

N Oak 12 in. dia. beam S 2 W. 8 miles dist; 12
 Beech 21 in. " " N 64 W. 24 in. "
 Lumber soil and timber same as on the last mile.

East From Random line between Sec. 5. & 8. I. No. 7.
 N. R. No. 277

40.00 Set a trap for the cor. to 1/4 sec.

80.27 Into section the N. & S. line 14 miles South of the
 first set for the cor. to Sec. 4. 5. 8. 9.
 Lumber soil and timber same as on the last mile.

N 61 In the true line between Sec. 5. & 8. I. No. 7. N. R.
 No. 277.

40.13 1/2 Set the trap for the first at the river cut on the true line
 for the cor. to 1/4 sec. from which a

Beam 10 in. dia. beam N 89 W. 23 miles dist; 12

Do 6 in. " " S 11 E. 24 miles dist;

80.27 To the first set for the cor. to Sec. 5. 6. 7. & 8.

North Between Sec. 5 & 6 I. No. 7. N. R. No. 277.

45.00 Set a post for the cor. to 1/4 sec. from which a

Beam 30 in. dia. beam S 89 E. 25 miles dist; 12

Do 4 in. " " N 63 W. 13 in. "

71.36 Log Sugar 10 in. dia. Stands on the line.

79.54 Into section the N. Boundary of I. No. 7. N. R. No.
 277. 186 miles East of the first set for the cor. to
 Sec. 3. 1. 32 I. No. 8 N. R. No. 277. and set a post
 for the cor. to Sec. 5. & 6. from which

Beam 12 in. dia. beam S 52 E. 10 miles dist; 12

Do 8 in. " " N 20 E. 23 in. "

Lumber soil and timber same as on the last mile.

West Between Sec. 6 & 7. I. No. 7. N. R. No. 277.

21.20 Iron Works 12 in. dia. Stands on the line

35.00 Iron Works 10 in. dia. Stands South.

45.00 Set a post for the cor. to 1/4 sec. from which a

I. N. 7. N. R. N. 27. 2nd Mar. (Ind.)

71.18 Sugar 18 in. dia. brace N 8 E. 7 miles dist; see
Sugar 10 in. dia. — West 20 in. —
Intersected the West Branch of I. N. 7. N. R. N. 27
N. 16 7/8 miles South of the first set for the cor. to
Sub. 1 & 12 I. N. 7. N. R. N. 37. made set a post
for the cor. to Sub. 6 & 7. from which a
Back 5 in. dia. brace S 97 W. 15 miles dist; see
Log 15 in. dia. — N 72 E. 32 in. —
Sand soil under timber same as on the last mile.

West Between Sub. 7 & 18. I. N. 7. N. R. N. 27.
40.00 Set a post for the cor. to 1/4 sec. from which a
Back 8 in. dia. brace N 41 W. 14 miles dist; see
Log 14 in. dia. — N 60 E. 17 in. —

61.20 To a Sugar 15 in. dia. brace in the line

70.73 Intersected the West Branch of I. N. 7. N. R. N. 27.
53 miles South of the first set for the cor. to Sub.
12 & 13. I. N. 7. N. R. N. 37. made on side the cor.
for Sub. 7 & 18. in a Sugar 12 in. dia.
Sand soil under timber same as on the last mile.

West Between Sub. 18 & 19. I. N. 7. N. R. N. 27.

40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 12 in. dia. brace N 13 W. 7 miles dist; see
Back 50 in. dia. — N 84 W. 9 in. —

67.00 To a Spring across S. W.

70.54 Intersected the West Branch of I. N. 7. N. R. N. 27.
60 miles South of the first set for the cor. to Sub. 13 &
24 I. N. 7. N. R. N. 37. made set a post for the cor.
to Sub. 18 & 19. from which a
Back 35 in. dia. brace N 26 E. 4 miles dist; see
Back 12 in. dia. — S 28 W. 30 in. —
Sand soil under timber same as on the last mile.

West On the true line Between Sub. 19 & 30 I. N. 7. N. R.
N. 27. 2nd Mar. Ind.

T. N. 7. N. R. N. 2 W. 2nd Mer. Ind.^a

- 18.50 Iron Brook 21 miles near corner S. W.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Sugar 12 in. dia. bore S 62 E. 14 miles dist; 10
 10 4 " " " N 79 W. 5 " "
 69.44 Introduced the West Boundary of T. N. 7. N. R. N. 2
 W. 121 miles North of the first set for the cor. to sec.
 24 + 25. T. N. 7. N. R. N. 3 W. made set as post for
 the cor. to sec. 19 + 30. from which a
 Sugar 9 in. dia. bore S 69 E. 20 miles dist; 20
 5 " " " N 30 E. 30 " "
 Cando Soil and timber same as in the last mile.

- West Between Sec. 30. + 31 T. N. 7. N. R. N. 2 W.
 45.00 Set a post for the cor. to 1/4 sec. from which a
 Hick 7 8 in. dia. bore S 82 E. 18 miles dist; 10
 10 4 " " " S 36 W. 14 " "
 70.00 To the first set for the cor. to sec. 25. + 36. T. N. 7. N.
 R. N. 3 W. and also for cor. to sec. 30. + 31. T. N. 7
 N. R. N. 2 W. same bearing for both cor.
 Cando Soil and timber same as in the last mile.

Surveyed by
 Arthur Henric.
 Deputy Survey

I certify that the foregoing transcript of the field
 notes of Township N. 7. North of Range N.
 2 West 2nd Mer. Indiana, has been compar-
 ed with the Original in this Office and found
 to be correct.

Surveyor General's Office }
 Cincinnati, Dec. 20. 1839 } E. S. Reines
 Sur. Genl.